

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 16/02/2017 Revision date: 05/06/2020 Supersedes version of: 15/06/2018 Version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Cleanline Deodouriser & Airfreshener Concentrate

Product code : CL4063

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Air freshener

1.2.2. Uses advised against

Restrictions on use : Anything other than intended use as listed on the label.

1.3. Details of the supplier of the safety data sheet

Prime Source PO Box 15247 Birmingham B23 3HN UK

Tel: 08085 749312

E-mail: info@prime-source.co.uk

1.4. Emergency telephone number

Emergency number : 01865 407 333

24 hour - Medical Emergency Only

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 H318 Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger

Contains : Alcohols c9-11, ethoxylated; Cocamidopropyl Betaine

Hazard statements (CLP) : H318 - Causes serious eye damage.

H412 - Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P280 - Wear eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor, a POISON CENTER.

EUH-statements : EUH208 - Contains D-limonene(5989-27-5), citral(5392-40-5), Terpinolene(586-62-9). May

produce an allergic reaction.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohols c9-11, ethoxylated	(CAS-No.) 68439-46-3 (EC-No.) 614-482-0 (REACH-no) Exempt	≥ 1 – < 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	≥ 1 - < 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Sodium Styrene/Ma Copolymer	(CAS-No.) 52500-92-2	≥ 1 – < 10	Eye Irrit. 2, H319
Cocamidopropyl Betaine	(CAS-No.) 61789-40-0 (EC-No.) 263-058-8	≥ 1 – < 10	Skin Irrit. 2, H315 Eye Dam. 1, H318
C12-16 PARETH-5	(CAS-No.) 68551-12-2 (EC-No.) 500-221-7	< 1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400
D-limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119493353-35	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
citral	(CAS-No.) 5392-40-5 (EC-No.) 226-394-6 (EC Index-No.) 605-019-00-3	< 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Terpinolene	(CAS-No.) 586-62-9 (EC-No.) 209-578-0	< 1	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	(CAS-No.) 52-51-7 (EC-No.) 200-143-0 (EC Index-No.) 603-085-00-8	< 1	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10)

Full text of H-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Incompatible products : Oxidizing agent. Strong bases. Strong acids.

Special rules on packaging : Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

citral (5392-40-5)	
Ireland - Occupational Exposure Limits	
Local name	Citral
OEL (8 hours ref) (ppm)	5 ppm IFV (Inhlable Fraction and Vapour)
Regulatory reference	Chemical Agents Code of Practice 2020

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Where a risk of contact with hands is likely, suitable chemical resistant gloves is recommended.

Eye protection:

Safety glasses. Use eye protection according to EN 166.

Skin and body protection:

If direct or repeated skin contact is likely, wear suitable protective clothing

Respiratory protection:

Not required under normal conditions of use.

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

PPE should be worn to prevent any contact with the chemical.

Any contaminated clothing should be washed prior to re-use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : light yellow.

05/06/2020 (Version: 4.0) GB - en 4/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour : Lemon.

Odour threshold : No data available

pH : 4-7

Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : > 65 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available

Density : 0.99 – 1

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Alcohols c9-11, ethoxylated (68439-46-3)

LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal

Toxicity)

Cleanline Deodouriser & Airfreshener Concentrate Safety Data Sheet

D-limonene (5889-27-5) LD50 oral rat 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) citral (5392-40-5) LD50 oral rat = 6800 mg/kg bodyweight Animal: rat LD50 dermal rat 2000 mg/kg bodyweight Animal: rat Terpinolene (586-62-9) LD50 dermal rabbit > 4300 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermi Toxicity) bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7) LD50 dermal rat 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermi Toxicity) bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7) LD50 dermal rat 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermi Toxicity) 2 0.588 mg/l air Animal: rat Skin corrosion/irritation : Not classified pit: 4 - 7 Respiratory or skin sensitisation : Not classified DR - 7 Respiratory or skin sensitisation : Not classified Citral (5392-40-5) NOAEL (chronic, oral, animal/male, 2 years) 60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 402 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: Effect type: toxicity (migrated information) Reproductive toxicity : Not classified Terpinolene (586-62-9) NOAEL (animal/male, FD/P) 294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/male, FD/P) 161.5 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) STOT-single exposure : Not classified Alcoholis c9-11, ethoxylated (68439-46-3)		
D-Immonene (5889-27-5) LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxici) D-Immonene (5889-27-5) LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) citral (5392-40-5) LD50 oral rat = 6800 mg/kg bodyweight Animal: rat LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat Terpinolene (586-62-9) LD50 dermal rabbit > 4,4300 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermi Toxicity) bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7) LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermi Toxicity) LC50 inhalation rat (mg/l) 2 0,588 mg/l air Animal: rat Skin corrosion/irritation Not classified pH: 4 - 7; Serious eye damage/irritation Not classified pH: 4 - 7; Causes serious eye damage. pH: 4 - 7; Respiratory or skin sensitisation Not classified certinal (5392-40-5) Not classified citral (5392-40-5) NOAEL (chronic, oral, animal/male, 2 years) 60 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Combined Circnoic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information) NOAEL (animal/male, F0/P) 294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/male, F0/P) 161.5 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 423 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/male, F0/P) 161.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 403 (Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test)	LC50 inhalation rat (mg/l)	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
D-limonene (5889-27-5) LD50 oral rat - 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) - 2000 mg/kg bodyweight Animal: rat - 2000 mg/kg bodyweight Animal: rat Suideline: OECD Guideline 402 (Acute Dermit Toxicity) - 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermit Toxicity) - 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermit Toxicity) - 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermit Toxicity) - 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermit Toxicity) - 2000 mg/kg bodyweight Animal: rat - 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermit Toxicity) - 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermit Toxicity) - 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermit Toxicity) - 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermit Toxicity) - 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermit Toxicity) - 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermit Toxicity) - 2000 mg/kg bodyweight Animal: rat, Animal sex: fomale, Guideline: OECD Guideline 402 (Acute Dermit Toxicity) - 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermit Toxicity) - 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408	isopropanol (67-63-0)	
2000 mg/kg bodyweight Animal: rat. Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)	LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity
citral (5392-40-5) LD50 oral rat	D-limonene (5989-27-5)	
LD50 dermal rat *6800 mg/kg bodyweight Animal: rat *2000 mg/kg bodyweight Animal: rat *2000 mg/kg bodyweight Animal: rat	LD50 oral rat	
D50 dermal rat	citral (5392-40-5)	
Topinolene (686-62-9) LD50 dermal rabbit > 4300 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermi Toxicity) District	LD50 oral rat	≈ 6800 mg/kg bodyweight Animal: rat
24300 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermit Toxicity)	LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat
24300 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermit Toxicity)	Terpinolene (586-62-9)	
Substitute Sub		> 4300 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Toxicity) LC50 inhalation rat (mg/l) ≥ 0.588 mg/l air Animal: rat Skin corrosion/irritation : Not classified pH: 4 – 7 Serious eye damage/irritation : Causes serious eye damage. pH: 4 – 7 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified carcinogenicity : Not classified citral (5392-40-5) NOAEL (chronic, oral, animal/male, 2 years) 60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other.Effect type: toxicity (migrated information) Reproductive toxicity : Not classified Terpinolene (586-62-9) NOAEL (animal/male, F0/P) 294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/female, F0/P) 401.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) STOT-single exposure : Not classified STOT-repeated exposure : Not classified Alcohols c9-11, ethoxylated (68439-46-3) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Toxicity Study with time CDCD Guideline 408 (Repeated Dose Toxicity Study with time CDCD Guideline 408 (Repeated Dose Toxicity Study with time CDCD Guideline 408 (Repeated Dose Toxicity Study with time CDCD Guideline 408 (Repeated Dose Toxicity Study with time CDCD Guideline 408 (Repeated Dose Toxicity Study with time CDCD Guideline 408 (Repeated Dose Toxicity Study with time CDCD Guideline 408 (Repeated Dose Toxicity Study with time CDCD Guideline 408 (Repeated Dose Toxicity Study with time CDCD Guideline 408 (Repeated Dose Toxicity Study with Marinal: rat, Guideline: OECD Guideline 408 (Repeated Dose Toxicity Study with Marinal: rat, Guideline: OECD Guideline 408 (Repeated Dose Toxicity Study with Marinal: rat, Guid	bronopol (INN); 2-bromo-2-nitropropane-1	1,3-diol (52-51-7)
Skin corrosion/irritation : Not classified pH: 4 − 7 Serious eye damage/irritation : Causes serious eye damage. pH: 4 − 7 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Citral (5392-40-5) NOAEL (chronic, oral, animal/male, 2 years) 60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other.Effect type: toxicity (migrated information) Reproductive toxicity : Not classified Terpinolene (586-62-9) NOAEL (animal/male, F0/P) 294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/female, F0/P) 161.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 42 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) STOT-single exposure : Not classified Alcohols c9-11, ethoxylated (68439-46-3) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 400 mg/kg bodyweight Animal: rat, Guideline	LD50 dermal rat	
PH: 4 − 7 Causes serious eye damage. PH: 4 − 7 Respiratory or skin sensitisation Germ cell mutagenicity citral (5392-40-5) NOAEL (chronic, oral, animal/male, 2 years) 60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: Effect type: toxicity (migrated information) Reproductive toxicity : Not classified Terpinolene (586-62-9) NOAEL (animal/male, F0/P) 294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/female, F0/P) 161.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/female, F0/P) 161.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) **STOT-single exposure** Not classified **Alcohols c9-11, ethoxylated (68439-46-3) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 10 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 40 mg/kg bodyweight Animal: rat, Guideline: OECD Gui	LC50 inhalation rat (mg/l)	≥ 0.588 mg/l air Animal: rat
Serious eye damage/irritation : Causes serious eye damage. pH: 4 − 7 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified citral (5392-40-5) NOAEL (chronic, oral, animal/male, 2 years) 60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information) Reproductive toxicity : Not classified Terpinolene (586-62-9) NOAEL (animal/male, F0/P) 294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/female, F0/P) 181.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 4:20 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) STOT-single exposure : Not classified Alcohols c9-11, ethoxylated (68439-46-3) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 5) (Repeat	Skin corrosion/irritation	
Germ cell mutagenicity Carcinogenicity : Not classified citral (5392-40-5) NOAEL (chronic, oral, animal/male, 2 years) 60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other: Effect type: toxicity (migrated information) Reproductive toxicity : Not classified Terpinolene (586-62-9) NOAEL (animal/male, F0/P) 294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/female, F0/P) 161.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 42 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) STOT-single exposure : Not classified Alcohols c9-11, ethoxylated (68439-46-3) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Screening Text)	Serious eye damage/irritation	: Causes serious eye damage.
NOAEL (chronic, oral, animal/male, 2 years) 60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information) Reproductive toxicity : Not classified Terpinolene (586-62-9) NOAEL (animal/male, F0/P) 294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/female, F0/P) 161.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 4: (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) STOT-single exposure : Not classified STOT-repeated exposure : Not classified Alcohols c9-11, ethoxylated (68439-46-3) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 1)	Germ cell mutagenicity	: Not classified
NOAEL (chronic, oral, animal/male, 2 years) 60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information) Reproductive toxicity : Not classified Terpinolene (586-62-9) NOAEL (animal/male, F0/P) 294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/female, F0/P) 161.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 4: (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) STOT-single exposure : Not classified STOT-repeated exposure : Not classified Alcohols c9-11, ethoxylated (68439-46-3) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 1)	citral (5392-40-5)	
Terpinolene (586-62-9) NOAEL (animal/male, F0/P) 294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/female, F0/P) 161.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 4: (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) STOT-single exposure : Not classified Alcohols c9-11, ethoxylated (68439-46-3) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 9)		60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
NOAEL (animal/male, F0/P) 294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/female, F0/P) 161.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 4: (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) STOT-single exposure : Not classified STOT-repeated exposure : Not classified Alcohols c9-11, ethoxylated (68439-46-3) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 9)	Reproductive toxicity	: Not classified
(Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) NOAEL (animal/female, F0/P) 161.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 4: (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) STOT-single exposure : Not classified STOT-repeated exposure : Not classified Alcohols c9-11, ethoxylated (68439-46-3) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 9)	Terpinolene (586-62-9)	
(Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxic Screening Test) STOT-single exposure : Not classified STOT-repeated exposure : Not classified Alcohols c9-11, ethoxylated (68439-46-3) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 9)	NOAEL (animal/male, F0/P)	294.6 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicit Screening Test)
STOT-repeated exposure : Not classified Alcohols c9-11, ethoxylated (68439-46-3) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 9)	NOAEL (animal/female, F0/P)	161.5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicit Screening Test)
Alcohols c9-11, ethoxylated (68439-46-3) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 9)	STOT-single exposure	: Not classified
NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 9	STOT-repeated exposure	: Not classified
	Alcohols c9-11, ethoxylated (68439-46-3)	
	NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity in Rodents)

05/06/2020 (Version: 4.0) GB - en 6/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

citral (5392-40-5)	
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

Not rapidly degradable

isopropanol (67-63-0)		
	LC50 fish 1	10000 mg/l Test organisms (species): Pimephales promelas
	LC50 fish 2	9640 mg/l Test organisms (species): Pimephales promelas

D-limonene (5989-27-5)	
LC50 fish 1	720 μg/l Test organisms (species): Pimephales promelas
EC50 Daphnia 1	0.36 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	≈ 8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'

citral (5392-40-5)	
LC50 fish 1	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 Daphnia 1	6.8 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	103.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

Terpinolene (586-62-9)	
LC50 fish 1	0.805 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	0.634 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	0.692 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h algae (2)	0.302 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)	
EC50 Daphnia 1	1.4 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	0.25 mg/l Test organisms (species): Skeletonema costatum
EC50 72h algae (2)	0.37 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.88 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	21.5 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '49 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number	14.1. UN number			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information	No supplementary information available			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains D-limonene(5989-27-5), citral(5392-40-5), Terpinolene(586-62-9). May produce an allergic reaction.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.