

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Suma Multipurpose Cleaner D2.3

Revision: 2021-12-12 Version: 06.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Multipurpose Cleaner D2.3

UFI: A8P6-K0SA-Y00J-HG5H

1.2 Relevant identified uses of the substance or mixture and uses advised against

Dish wash product. Product use:

Kitchen surface cleaner. Hard surface cleaner. Glass cleaner.

For professional use only.

Uses other than those identified are not recommended. Uses advised against:

SWED - Sector-specific worker exposure description : AISE_SWED_PW_1_1 AISE_SWED_PW_10_1 AISE_SWED_PW_11_1 AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)

2.2 Label elements



Signal word: Danger.

Contains cocoamidopropyl betaine hydrogenated (Cocamidopropyl Betaine), amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (Lauramine oxide), alkyl polyglucoside (Octyl/Decyl Glucoside)

Hazard statements:

H318 - Causes serious eye damage.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements:

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|---|-------------------------------------|-------------|--|---|-------|----------------|
| cocoamidopropyl betaine hydrogenated | 931-333-8 931-513-6 931-296-8 | - | 01-2119489410-39 01-2119513359-38 01-2119488533-30 | Eye Dam. 1 (H318) Aquatic Chronic 3 (H412) | | 10-20 |
| propane-1,2-diol | 200-338-0 | 57-55-6 | 01-2119456809-23 | Not classified as hazardous | | 10-20 |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | 931-292-6 | 308062-28-4 | 01-2119490061-47 | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) | | 3-10 |
| alkyl polyglucoside | 500-220-1 | 68515-73-1 | 01-2119488530-36 | Eye Dam. 1 (H318) | | 1-3 |
| sodium hydroxide | 215-185-5 | 1310-73-2 | 01-2119457892-27 | Skin Corr. 1A (H314) Met. Corr. 1 (H290) | | 0.1-1 |

Specific concentration limits

cocoamidopropyl betaine hydrogenated:

- Eye Dam. 1 (H318) >= 10% > Eye Irrit. 2 (H319) >= 4% alkyl polyglucoside:
- Eye Dam. 1 (H318) >= 10% > Eye Irrit. 2 (H319) >= 1% sodium hydroxide:

• Eye Dam. 1 (H318) >= 3% > Eye Irrit. 2 (H319) >= 0.5%

• Skin Corr. 1A (H314) >= 5% > Skin Corr. 1B (H314) >= 2% > Skin Irrit. 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:Causes severe or permanent damage.Ingestion:No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

| Ingredient(s) | UK - Long term | UK - Short term |
|------------------|-----------------------------------|----------------------------------|
| | value(s) | value(s) |
| propane-1,2-diol | 150 ppm total | 450 ppm total |
| | particulates and vapour | particulate and vapour |
| | 474 mg/m³ total | 1422 mg/m ³ total |
| | particulates and vapour | particulate and vapour |
| | 10 mg/m ³ particulates | 30 mg/m ³ particulate |
| sodium hydroxide | | 2 mg/m ³ |

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

| DNEL oral exposure - Consumer (mg/kg bw) | | | | |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
| | CHECIS | enects | CHECKS | CHECIS |
| cocoamidopropyl betaine hydrogenated | - | - | = | 7.5 |
| propane-1,2-diol | - | - | - | 85 |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | - | - | - | 0.44 |
| alkyl polyglucoside | - | - | - | 35.7 |
| sodium hydroxide | - | - | = | - |

DNEL dermal exposure - Worker

| Ingredient(s) | Short term - Local | Short term - Systemic | Long term - Local | Long term - Systemic |
|---------------|--------------------|-----------------------|-------------------|----------------------|
|---------------|--------------------|-----------------------|-------------------|----------------------|

| | effects | effects (mg/kg bw) | effects | effects (mg/kg bw) |
|--|-------------------|--------------------|-------------------|--------------------|
| cocoamidopropyl betaine hydrogenated | No data available | - | No data available | 12.5 |
| propane-1,2-diol | - | - | - | - |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available | - | No data available | 11 |
| alkyl polyglucoside | No data available | - | No data available | 595000 |
| sodium hydroxide | 2 % | - | = | = |

DNEL dermal exposure - Consumer

| Ditzz domiai expecuie concumen | | | | |
|--|--------------------|-----------------------|-------------------|----------------------|
| Ingredient(s) | Short term - Local | Short term - Systemic | Long term - Local | Long term - Systemic |
| | effects | effects (mg/kg bw) | effects | effects (mg/kg bw) |
| cocoamidopropyl betaine hydrogenated | No data available | - | No data available | 7.5 |
| propane-1,2-diol | - | - | - | 213 |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available | - | No data available | 5.5 |
| alkyl polyglucoside | No data available | - | No data available | 357000 |
| sodium hydroxide | 2 % | - | - | - |

DNEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| cocoamidopropyl betaine hydrogenated | - | - | - | 44 |
| propane-1,2-diol | - | - | 10 | 168 |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | - | - | - | 6.2 |
| alkyl polyglucoside | - | - | - | 420 |
| sodium hydroxide | - | - | 1 | - |

DNEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| cocoamidopropyl betaine hydrogenated | - | - | - | 13.04 |
| propane-1,2-diol | - | - | 10 | 50 |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | - | - | - | 1.53 |
| alkyl polyglucoside | - | - | - | 124 |
| sodium hydroxide | - | - | 1 | - |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|--|-----------------------------|------------------------------|---------------------|-------------------------------|
| cocoamidopropyl betaine hydrogenated | 0.0135 | 0.00135 | - | 3000 |
| propane-1,2-diol | 260 | 26 | 183 | 20000 |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | 0.0335 | 0.00335 | 0.0335 | 24 |
| alkyl polyglucoside | 0.176 | 0.0176 | 0.27 | 560 |
| sodium hydroxide | - | - | - | = |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|--|------------------------------|-----------------------------|--------------|-------------|
| cocoamidopropyl betaine hydrogenated | 1 | 0.1 | 0.8 | - |
| propane-1,2-diol | 572 | 57.2 | 50 | - |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | 5.24 | 0.524 | 1.02 | - |
| alkyl polyglucoside | 1.516 | 0.152 | 0.654 | - |
| sodium hydroxide | - | - | - | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

| resident des coonditios conclusion and the distinction pr | · oaaoti | | | | |
|---|------------------------|-----|------|----------|-----|
| | SWED - Sector-specific | LCS | PROC | Duration | ERC |
| | worker exposure | | | (min) | |
| | description | | | | |

Automatic application in a dedicated closed system AISE_SWED_PW_1_1 PW PROC 1 60 ERC8a

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166).

Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 0.53

Appropriate engineering controls: Provide a good standard of general ventilation.

Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

| REPORT GOO COORDING CONTROL TO THE GRACE PROGRAM | | | | | | | | |
|---|-------------------|-----|---------|----------|-------|--|--|--|
| | SWED | LCS | PROC | Duration | ERC | | | |
| | | | | (min) | | | | |
| Manual application by brushing, wiping or mopping | AISE_SWED_PW_10_1 | PW | PROC 10 | 480 | ERC8a | | | |
| Spray application | AISE_SWED_PW_11_1 | PW | PROC 11 | 60 | ERC8a | | | |
| Manual application | AISE SWED PW 19 1 | PW | PROC 19 | 480 | FRC8a | | | |

Personal protective equipment

Eye / face protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.

Respiratory protection: Trigger spray bottle application: No special requirements under normal use conditions. Apply

technical measures to comply with the occupational exposure limits, if available

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid
Colour: Clear , Deep , Blue
Odour: Product specific
Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|--|-------------------|------------------|----------------------------|
| cocoamidopropyl betaine hydrogenated | 100 | Method not given | (4) |
| propane-1,2-diol | 185-190 | Method not given | 1013 |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available | | |
| alkyl polyglucoside | > 100 | Method not given | 1013 |
| sodium hydroxide | > 990 | Method not given | |

Method / remark

Weight of evidence

closed cup

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 93 °C

Sustained combustion: The product does not sustain combustion

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

| Ingredient(s) | Lower limit (% vol) | Upper limit (% vol) |
|------------------|------------------------|------------------------|
| propane-1,2-diol | 2.6 | 12.6 |

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: ≈ 8 (neat) ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|--|-------------------|------------------|---------------------|
| cocoamidopropyl betaine hydrogenated | > .? Soluble | Method not given | 20 |
| propane-1,2-diol | Soluble | Method not given | |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available | | 20 |
| alkyl polyglucoside | Soluble | Method not given | 20 |
| sodium hydroxide | 1000 | Method not given | 20 |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined See substance data

Substance data, vapour pressure

| Ingredient(s) | Value | Method | Temperature |
|--|-------------------|------------------|-------------|
| | (Pa) | | (°C) |
| cocoamidopropyl betaine hydrogenated | .? | Method not given | 20 |
| propane-1,2-diol | 18.6 | Method not given | 20 |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available | | 25 |
| alkyl polyglucoside | No data available | | |
| sodium hydroxide | < 1330 | Method not given | 20 |

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

Relative density: ≈ 1.02 (20 °C) Relative vapour density: -. Particle characteristics: No data available.

article characteristics. No data available.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising.

Corrosion to metals: Not corrosive Weight of evidence

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE (mg/kg) |
|--|----------|------------------|---------|------------------------|-------------------|-----------------|
| cocoamidopropyl betaine hydrogenated | LD 50 | 2335 | Rat | Method not given | | Not established |
| propane-1,2-diol | LD 50 | > 10000 | Rat | Method not given | | Not established |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | | 1064 | | | | 5500 |
| alkyl polyglucoside | LD 50 | > 2000 | Rat | OECD 423 (EU B.1 tris) | | Not established |
| sodium hydroxide | | 500 | | | | Not established |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE (mg/kg) |
|--|----------|----------------------|---------|-------------------|-------------------|-----------------|
| cocoamidopropyl betaine hydrogenated | LD 50 | > 5000 | Rat | OECD 402 (EU B.3) | | Not established |
| propane-1,2-diol | LD 50 | > 2000 | Rabbit | Method not given | | Not established |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | | No data available | | | | Not established |
| alkyl polyglucoside | LD 50 | > 2000 | Rabbit | OECD 402 (EU B.3) | | Not established |
| sodium hydroxide | LD 50 | 1350 | Rabbit | Method not given | | Not established |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|--|---------|--------------------|-------------------|
| cocoamidopropyl betaine hydrogenated | LC 50 | > 5 (mist) | Rat | Method not given | 4 |
| propane-1,2-diol | LC 50 | > 317 (mist) No mortality observed | Rabbit | Non guideline test | |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | | No data available | | | |
| alkyl polyglucoside | | No data available | | | |
| sodium hydroxide | | No data available | | | |

Acute inhalative toxicity, continued

| Ingredient(s) | ATE - inhalation, dust (mg/l) | ATE - inhalation, mist (mg/l) | ATE - inhalation, vapour (mg/l) | ATE - inhalation, gas (mg/l) |
|--|-------------------------------|-------------------------------|------------------------------------|------------------------------|
| cocoamidopropyl betaine hydrogenated | Not established | Not established | Not established | Not established |
| 1 11 1 | | | | |
| propane-1,2-diol | Not established | Not established | Not established | Not established |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | Not established | Not established | Not established | Not established |
| alkyl polyglucoside | Not established | Not established | Not established | Not established |
| sodium hydroxide | Not established | Not established | Not established | Not established |

Irritation and corrosivity Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|-------------------|---------------|
| cocoamidopropyl betaine hydrogenated | Mild irritant | Rabbit | OECD 404 (EU B.4) | |
| propane-1,2-diol | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available | | | |
| alkyl polyglucoside | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| sodium hydroxide | Corrosive | Rabbit | Method not given | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|------------------------------|---------|-------------------|---------------|
| cocoamidopropyl betaine hydrogenated | Severe damage | Rabbit | OECD 405 (EU B.5) | |
| propane-1,2-diol | Not corrosive or irritant | Rabbit | OECD 405 (EU B.5) | |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available | | | |
| alkyl polyglucoside | Severe damage | Rabbit | OECD 405 (EU B.5) | |
| sodium hydroxide | Corrosive | Rabbit | Method not given | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--------------------------------------|-------------------|---------|--------|---------------|
| cocoamidopropyl betaine hydrogenated | No data available | | | |

| propane-1,2-diol | No data available |
|--|-------------------|
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available |
| alkyl polyglucoside | No data available |
| sodium hydroxide | No data available |

Sensitisation Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|--|-------------------|------------|-------------------------------------|-------------------|
| cocoamidopropyl betaine hydrogenated | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |
| propane-1,2-diol | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available | | | |
| alkyl polyglucoside | Not sensitising | Guinea pig | OECD 406 (EU B.6) / Buehler test | |
| sodium hydroxide | Not sensitising | | Human repeated patch test | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|--------|---------------|
| cocoamidopropyl betaine hydrogenated | No data available | | | |
| propane-1,2-diol | No data available | | | |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available | | | |
| alkyl polyglucoside | No data available | | | |
| sodium hydroxide | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) $\underline{\text{Mutagenicity}}$

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|--|---|--------------------------------------|---|---|
| cocoamidopropyl betaine hydrogenated | | OECD 471 (EU B.12/13) OECD 476 | | OECD 474 (EU B.12) |
| propane-1,2-diol | No evidence for mutagenicity, negative test results | Method not given | No data available | |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available | | No data available | |
| alkyl polyglucoside | No evidence for mutagenicity, negative test results | Read across | No data available | |
| sodium hydroxide | No evidence for mutagenicity, negative test results | | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) OECD 475 (EU B.11) |

Carcinogenicity

| Ingredient(s) | Effect |
|--|--|
| cocoamidopropyl betaine hydrogenated | No evidence for carcinogenicity, weight-of-evidence |
| propane-1,2-diol | No evidence for carcinogenicity, negative test results |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available |
| alkyl polyglucoside | No evidence for carcinogenicity, weight-of-evidence |
| sodium hydroxide | No evidence for carcinogenicity, weight-of-evidence |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|---|----------|------------------------|-----------------------|---------|---------------------------------|---------------|--|
| cocoamidopropyl betaine hydrogenated | NOEL | Developmental toxicity | 300 | Rat | OECD 414 (EU B.31), oral | | |
| propane-1,2-diol | | | No data available | | | | No evidence for reproductive toxicity |
| amines, C12-14 (even numbered)-alkyldimeth yl, N-oxides | | | No data available | | | | |
| alkyl polyglucoside | | | No data available | | OECD 416, (EU B.35), oral | | No evidence for reproductive toxicity |
| sodium hydroxide | | | No data available | | | | No evidence for developmental toxicity No evidence for reproductive toxicity |

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity
Ingredient(s) Species Method Exposure Specific effects and organs Endpoint Value

| | | (mg/kg bw/d) | | | time (days) | affected |
|---|-------|--------------|-----|--------------|-------------|----------|
| cocoamidopropyl betaine hydrogenated | NOAEL | 300 | Rat | OECD 408 (EU | 90 | |
| | | | | B.26) | | |
| propane-1,2-diol | | No data | | | | |
| | | available | | | | |
| amines, C12-14 (even numbered)-alkyldimethyl, | | No data | | | | |
| N-oxides | | available | | | | |
| alkyl polyglucoside | NOAEL | 100 | Rat | OECD 408 (EU | 90 | |
| · | | | | B.26) | | |
| sodium hydroxide | | No data | | | | |
| | | available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | | Specific effects and organs |
|---|----------|--------------|---------|--------|-------------|-----------------------------|
| | | (mg/kg bw/d) | | | time (days) | affected |
| cocoamidopropyl betaine hydrogenated | | No data | | | | |
| | | available | | | | |
| propane-1,2-diol | | No data | | | | |
| | | available | | | | |
| amines, C12-14 (even numbered)-alkyldimethyl, | | No data | | | | |
| N-oxides | | available | | | | |
| alkyl polyglucoside | | No data | | | | |
| | | available | | | | |
| sodium hydroxide | | No data | | | | |
| | | available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|---|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| cocoamidopropyl betaine hydrogenated | | No data available | | | | |
| propane-1,2-diol | | No data available | | | | |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | | No data available | | | | |
| alkyl polyglucoside | | No data available | | | | |
| sodium hydroxide | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|-----------------------|----------------|----------|-----------------------|---------|--------|---------------|---|--------|
| cocoamidopropyl | | | No data | | | | | |
| betaine hydrogenated | | | available | | | | | |
| propane-1,2-diol | | | No data | | | | | |
| | | | available | | | | | |
| amines, C12-14 (even | | | No data | | | | | |
| numbered)-alkyldimeth | | | available | | | | | |
| yl, N-oxides | | | | | | | | |
| alkyl polyglucoside | | | No data | | | | | |
| | | | available | | | | | |
| sodium hydroxide | | | No data | | | | | |
| | | | available | | | | | |

STOT-single exposure

| e i e i dirigio expectare | |
|--|-------------------|
| Ingredient(s) | Affected organ(s) |
| cocoamidopropyl betaine hydrogenated | No data available |
| propane-1,2-diol | No data available |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available |
| alkyl polyglucoside | No data available |
| sodium hydroxide | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|--|-------------------|
| cocoamidopropyl betaine hydrogenated | No data available |
| propane-1,2-diol | No data available |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available |
| alkyl polyglucoside | No data available |
| sodium hydroxide | No data available |

Aspiration hazard Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|----------------------|----------------------|-----------------------|-------------------|
| cocoamidopropyl betaine hydrogenated | LC 50 | 1.11 | Fish | OECD 203, semi-static | 96 |
| propane-1,2-diol | LC 50 | > 1000 | Fish | Method not given | 24 |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | | No data available | | | 96 |
| alkyl polyglucoside | LC 50 | 100.81 | Brachydanio rerio | ISO 7346 | 96 |
| sodium hydroxide | LC 50 | 35 | Various species | Method not given | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|-------------------|-------------------------|-------------------|-------------------|
| cocoamidopropyl betaine hydrogenated | EC 50 | 1.9 | Daphnia | OECD 202, static | 48 |
| propane-1,2-diol | EC 50 | > 100 | Daphnia | Method not given | 48 |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | | No data available | | | 48 |
| alkyl polyglucoside | EC 50 | > 100 | Daphnia magna Straus | OECD 202 (EU C.2) | 48 |
| sodium hydroxide | EC 50 | 40.4 | Ceriodaphnia sp. | Method not given | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|-------------------|-----------------------------------|-------------------|-------------------|
| cocoamidopropyl betaine hydrogenated | Er C 50 | 2.4 | Not specified | Method not given | 72 |
| propane-1,2-diol | EC 50 | 24200 | Desmodesmus subspicatus | OECD 201 (EU C.3) | 72 |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | | No data available | | | 72 |
| alkyl polyglucoside | EC 50 | 27.22 | Desmodesmus subspicatus | Method not given | 72 |
| sodium hydroxide | EC 50 | 22 | Photobacteriu m phosphoreum | Method not given | 0.25 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|--|----------|-------------------|---|------------------|----------------------|
| cocoamidopropyl betaine hydrogenated | ErC 50 | 0.74 | Skeletonema costatum Phaeodactylum tricornutum | ISO 10253 | 72 |
| propane-1,2-diol | | No data available | | | |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | | No data available | | | |
| alkyl polyglucoside | EC 50 | 12.43 | Skeletonema costatum | Method not given | 3 |
| sodium hydroxide | | No data available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) Endpoint Value Inoculum Method Ex |
|---|
|---|

| | | (mg/l) | | | time |
|--|-----------------|----------------------|-----------------------|--------------------------------|------------|
| cocoamidopropyl betaine hydrogenated | EC 50 | 3000 | Bacteria | ISO 13641 (2003), anaerobic | 16 hour(s) |
| propane-1,2-diol | EC ₀ | > 20000 | Pseudomonas putida | Method not given | 18 hour(s) |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | | No data available | | | |
| alkyl polyglucoside | EC 10 | > 560 | Pseudomonas putida | Method not given | 6 hour(s) |
| sodium hydroxide | | No data available | | | |

Aquatic long-term toxicity

| Aquatic long-term toxicity - fish | | | | | | |
|---|----------|----------------------|------------------------|------------------|---------------|------------------|
| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
| cocoamidopropyl betaine hydrogenated | NOEC | 0.135 | Oncorhynchus mykiss | OECD 210 | 37 day(s) | |
| propane-1,2-diol | | No data available | | | | |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | | No data available | | | | |
| alkyl polyglucoside | NOEC | 1 | Brachydanio rerio | Method not given | 28 day(s) | |
| sodium hydroxide | | No data | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|---|----------|----------------------|-----------------------|------------------|---------------|------------------|
| cocoamidopropyl betaine hydrogenated | NOEC | 0.3 | Daphnia magna | OECD 211 | 21 day(s) | |
| propane-1,2-diol | NOEC | 13020 | Ceriodaphnia dubia | Method not given | 7 day(s) | |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | | No data available | | | | |
| alkyl polyglucoside | NOEC | 1 | Daphnia magna | OECD 202 | 21 day(s) | |
| sodium hydroxide | | No data available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|---|----------|------------------------|---------|--------|-------------|------------------|
| | | (mg/kg dw sediment) | | | time (days) | |
| cocoamidopropyl betaine hydrogenated | | No data | | | | |
| | | available | | | | |
| propane-1,2-diol | | No data | | | | |
| | | available | | | | |
| amines, C12-14 (even numbered)-alkyldimethyl, | | No data | | | | |
| N-oxides | | available | | | | |
| alkyl polyglucoside | | No data | | | | |
| | | available | | | | |
| sodium hydroxide | | No data | | | | |
| | | available | | | | |

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------------------|----------|-----------------------------|----------------|--------|----------------------|------------------|
| cocoamidopropyl betaine hydrogenated | NOEC | ≥ 846 | Eisenia fetida | | 14 | |
| sodium hydroxide | | No data available | | | | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------------------|----------|-----------------------------|--|----------|----------------------|------------------|
| cocoamidopropyl betaine hydrogenated | NOEC | 84.6 | Brassica alba Lepidium sativum Triticum aestivum | OECD 208 | 17 | |
| sodium hydroxide | | No data available | | | | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|------------------|----------|----------------------|---------|--------|----------------------|------------------|
| sodium hydroxide | | No data available | | | | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|------------------|----------|-----------------------------|---------|--------|----------------------|------------------|
| sodium hydroxide | | No data available | | | | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|------------------|----------|-----------------------------|---------|--------|----------------------|------------------|
| sodium hydroxide | | No data available | | | | |

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

| tbiolic degradation priotodegradation in all, if a | | | | |
|--|-----------------------|------------------|-------------------------|--------|
| Ingredient(s) | Half-life time Method | | Evaluation | Remark |
| sodium hydroxide | 13 second(s) | Method not given | Rapidly photodegradable | |

Abiotic degradation - hydrolysis, if available:

| Ingredient(s) | Half-life time in fresh water | Method | Evaluation | Remark |
|------------------|-------------------------------|--------|------------|--------|
| sodium hydroxide | No data available | | | |

Abiotic degradation - other processes, if available:

| Ingredient(s) | Type | Half-life time | Method | Evaluation | Remark |
|------------------|------|-------------------|--------|------------|--------|
| sodium hydroxide | | No data available | | | |

Biodegradation

Peady biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|---|--------------------------|----------------------------|------------------------|-----------|--------------------------------------|
| cocoamidopropyl betaine hydrogenated | Activated sludge, aerobe | CO ₂ production | 91.6 % in 28 day(s) | OECD 301B | Readily biodegradable |
| propane-1,2-diol | | | > 70 % in 28 day(s) | OECD 301A | Readily biodegradable |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | Activated sludge, aerobe | CO ₂ production | 90 % in 28 day(s) | OECD 301B | Readily biodegradable |
| alkyl polyglucoside | Activated sludge, aerobe | DOC reduction | 100 % in 28 day(s) | OECD 301E | Readily biodegradable |
| sodium hydroxide | | | | | Not applicable (inorganic substance) |

Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation |
|--------------------------------------|---------------|-------------------|------------------|----------|-----------------------|
| cocoamidopropyl betaine hydrogenated | | | 76% in 28 day(s) | OECD 306 | Readily biodegradable |
| sodium hydroxide | | | | | No data available |

| Degradation in relevant environmental compartments, if available. | | | | | | | | |
|---|---------------|-------------------|-------|--------|-------------------|--|--|--|
| Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation | | | |
| sodium hydroxide | | | | | No data available | | | |

12.3 Bioaccumulative potential
Partition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|--|-------------------|------------------|--------------------------------------|--------|
| cocoamidopropyl betaine hydrogenated | 4.2 | Method not given | Low potential for bioaccumulation | |
| propane-1,2-diol | -1.07 | Method not given | No bioaccumulation expected | |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available | | | |
| alkyl polyglucoside | 0.07 | Method not given | No bioaccumulation expected | |
| sodium hydroxide | No data available | | Not relevant, does not bioaccumulate | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|---|-------------------|---------|------------------|-----------------------------------|--------|
| cocoamidopropyl | 71 | | QSAR | Low potential for bioaccumulation | |
| betaine hydrogenated | | | | | |
| propane-1,2-diol | No data available | | | | |
| amines, C12-14 (even numbered)-alkyldimeth yl, N-oxides | | | | | |
| alkyl polyglucoside | < 1.77 | | Method not given | No bioaccumulation expected | |
| sodium hydroxide | No data available | | | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|---|--------------------------------------|---|--------|-----------------------|--|
| cocoamidopropyl betaine hydrogenated | 2.0-5.1 | | QSAR | | Potential for mobility in soil, soluble in water |
| propane-1,2-diol | No data available | | | | Potential for mobility in soil, soluble in water |
| amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | No data available | | | | |
| alkyl polyglucoside | No data available | | | | |
| sodium hydroxide | No data available | | | | Mobile in soil |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 29* - detergents containing dangerous substances.

Empty packaging

Dispose of observing national or local regulations. Recommendation:

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
 Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)

- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

amphoteric surfactants, non-ionic surfactants perfumes, Benzoic Acid

5 - 15 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS7439 Version: 06.1 Revision: 2021-12-12

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 3, 8, 9, 15, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- · H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
 NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organization for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet