



Tork Wiping Paper Plus

Colour: Blue



benefit

- Multipurpose - handles most wiping tasks
- Ideal for mopping
- Suitable for hand wiping
- Food contact approved



450



157.5 m



2

product properties

article	system	Roll Length	Roll Diameter	Number of Sheets	Ply	Colour
128207	M2 - Centerfeed system big	157.5 m	19 cm	450	2	Blue

description

A multipurpose paper that is ideal for mopping up liquids and hand wiping.

shipping data

consumer unit

EAN	7310791218106
pieces	1
height	200 mm
width	190 mm
length	190 mm
volume	7.2 dm ³
net weight	1323 g
gross weight	1325 g

transport unit

EAN	7310791218113
pieces	6
consumer units	6
material	Plastic
height	200 mm
width	380 mm
length	570 mm
volume	43.3 dm ³
net weight	7.94 kg
gross weight	8.03 kg

pallet

EAN	7322540446937
pieces	180
consumer units	180
height	1363 mm
width	1000 mm
length	1200 mm
volume	1.3 m ³
net weight	238.14 kg
gross weight	240.87 kg



Tork Wiping Paper Plus

Colour: Blue



environmental

Content

Recycled fibres

Chemicals

Material

Recycled fibres

Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are:

Wetstrength agent

Dry strength agent

Dye

Fixing agents

Fluorescent whitening agent

Glue

Softeners

The process chemicals are:



Tork Wiping Paper Plus

Colour: Blue

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid

Food Contact

This product fulfils the legislative requirements for Food Contact materials, confirmed by external certification performed by ISEGA. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel

This product does not have any ecolabel.

Revision date 2011-09-02

SCA Hygiene Products AB, 405 03 Göteborg, SE

Production

This product is produced in Skelmersdale Mill, GB, certified according to ISO 9001, ISO 14001.

Disposal / destruction of used product

This product is used both for personal hygiene and for industrial processes. When used in industrial processes the product might through use be contaminated with different substances. This will determine how the used product will be handled / disposed of /destroyed. The product itself is suitable for incineration. If used in industrial processes contact local authorities before destruction.



Tork Wiping Paper Plus

Colour: Blue

Content

Recycled fibres

Chemicals

Material

Recycled fibres

Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are:

Wetstrength agent

Dry strength agent

Dye

Fixing agents

Glue

Softeners

The process chemicals are:

Antipitch

Protection agent

Yankee coating



Tork Wiping Paper Plus

Colour: Blue

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid

Food Contact

This product fulfils the legislative requirements for Food Contact materials, confirmed by external certification performed by ISEGA. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel

This product does not have any ecolabel.

Revision date 2013-07-01

Hygiene Products AB, 405 03 Göteborg, SE

Production

This product is produced in Skelmersdale Mill, GB, certified according to ISO 9001, ISO 14001.

Disposal / destruction of used product

This product is used both for personal hygiene and for industrial processes. When used in industrial processes the product might through use be contaminated with different substances. This will determine how the used product will be handled / disposed of /destructured. The product itself is suitable for incineration. If used in industrial processes contact local authorities before destruction.